



# KOYO BEARING LIMITED

## TIMKEN LSE112BRHFATL Flange Block Bearings



Bearing No. LSE112BRHFATL

LSE112BRHFATL Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	9.55
EAN	0013992044563
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	12 Millimeter
Relubricatable	Yes
Insert Part Number	LSE112BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 1-3/4" Bore; 7.1" Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 2.362" Length Thru Bore; 5" Bolt Spacing; Relubr



# KOYO BEARING LIMITED

Other Features	Single Row   Wide Inner Ring   Light Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	21.03
Cartridge Pilot Depth	0 Inch   0 Millimeter
D	2.362 Inch   60 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Bolt Spacing	5 Inch   127.3 Millimeter
Nominal Bolt Circle Diameter Round	7.1 Inch   180 Millimeter
d	1.75 Inch   44.45 Millimeter
Shaft Size	1.75 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Round Flange
Series Type	Light Series
Bolt Size	4 x M12
Bearing - Housing - Seal	LSE112BRHATL
Bearing - Housing - Seal UPC	013992060952
Bearing UPC	013992025524
Dimension T	8.5 in
Dimension R	7.1 in
Dimension P	0.5 in
Dimension H	2.2 in
Dimension N	5.375 in
Dimension V	0.1 in



## KOYO BEARING LIMITED

Dimension L	4.1 in
Cr - Dynamic Load Rating	18659 lbf
Cor - Static Load Rating	19558 lbf
Ca - Axial Load Rating	809.30 lbf
Maximum Speed	4630 rpm
Note	This product line was formerly known as " Revolve "