



# KOYO BEARING LIMITED

4.938 Inch | 125.425 Millimeter x 3.74 Inch | 95 Millimeter x 6.378 Inch | 162 Millimeter TIMKEN LSE415BXHSATL Pillow Block Bearings



LSE415BXHSATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE415BXHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	72.83
EAN	0013992056504
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE415BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



# KOYO BEARING LIMITED

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	160.42
d	4.938 Inch   125.425 Millimeter
B	6.378 Inch   162 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Actual Bolt Center to Center	17.7 Inch   450Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
D	3.74 Inch   95 Millimeter
Nominal Bolt Center to Center	17.7 Inch   450 Millimeter
Shaft Size	4-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	4 x M24
Weight	174 lb
Dimension H	6.378 in
Dimension H1	1.5 in
Dimension H2	14.6 in
Dimension J	17.7 in
Dimension K	4.7 in
Dimension L	20.0 in
Dimension M	7.0 in
Housing Width	6.1 in
Cr - Dynamic Load Rating	81606 lbf



## KOYO BEARING LIMITED

Cor - Static Load Rating	111505 lbf
Maximum Speed	1740 rpm
Note	This product line was formerly known as "Revolvo"